

Wednesday, July 19, 2017 11:02:14 AM

Item ID: D3016-9

Accept

N900040100

Setup Start *NS1*

Revision ID:

Item Name: Saddle

Stop *NS2*

Start Date: 7/26/2017 **Start Qty:** 8.00

8

Cust Item ID:

Required Date: 7/26/2017 **Req'd Qty:** 8.00

8

Customer:

Reference:

Approvals: _____ **Process Plan:** **Date:** JUL 19 20 **Wooling:** _____ **Date:** _____

Run Start *NR1*

QC: Date: SPC (Y/N): Date:

Stop *NR2*

[illegible]

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 164428

164428

Page 2

Wednesday, July 19, 2017 11:02:14 AM

Item ID: D3016-9 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Saddle
 Start Date: 7/26/2017 Start Qty: 8.00 *8* Cust Item ID:
 Required Date: 7/26/2017 Req'd Qty: 8.00 *8* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140 *140* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.16		17-08-08		8	0		DAS 08 9-89
150 *150* Packaging Packaging	Identify as per dwg & Stock Location <u>Waco</u> Memo	0.00 0.16				8K		DAS 26 9-89	AUG 09 2017
160 *160* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.80						DAS 21 9-89	AUG 21 2017 AUG 09 2017 DAS 21 9-89

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐				
Date :	Step #:	QTY Effective :			MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By	
					Lead hand / Supervisor Approval Verification	
					QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : ☐						

Picklist Print

Wednesday, July 19, 2017 11:02:18 AM

Page 1

Work Order ID: 164428

164428

Parent Item: D3016-9

D3016-9

Parent Item Name: Saddle

Start Date: 7/26/2017

Required Date: 7/26/2017

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP REV:A 16.08.31 NEW PROCESS DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M4130NT1.000W.120		Purchased	No			110	f	10.5000	0.29	2.442105			DAS
M4130NT1 000W 120									**			17-07-28	32
4130 RD Tube 1.00 x .120wall													9-89

Location

Loc Qty

Loc Code

MAT033

10.5

m136846

10.5

2.292

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

DART AEROSPACE LTD		Work Order:	16428
Description: Saddle		Part Number:	D3016-9
Inspection Dwg: D3016 Rev: A			Page 1 of 1

INSPECTION SHEET

[illegible]

Measured by:	32 9-89	Checked by:	DAS CB 9-89	QC Inspector:	
Date:	17-08-08	Date:	17-08-08	Date:	

Engineering Approval: (If necessary)		Date:	
--	--	--------------	--

Rev	Date	Change	Revised by	Approved
A	16.10.13	New Issue	K.J. [Signature]	[Signature]



DESIGN CP	DRAWN BY CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3016	REV. A SHEET 1 OF 3
DATE 01.05.18		TITLE SEAT FRAME ASSEMBLY	SCALE NTS
A	01.05.18	NEW ISSUE	

QTY	PART NUMBER	DESCRIPTION	MATERIAL
X	D3016-041	SEAT FRAME ASSEMBLY	N/A
1	D3016-1	TUBE	AISI 4130N TUBE, Ø0.75 DIA x 0.049 WALL (M4130N-T0750W049)
2	D3016-3	TUBE	AISI 4130N TUBE, Ø0.75 DIA x 0.049 WALL (M4130N-T0750W049)
1	D3016-5	TUBE	AISI 4130N TUBE, Ø0.50 DIA x 0.049 WALL (M4130N-T0500W049)
2	D3016-7	TUBE	AISI 4130N TUBE, Ø0.50 DIA x 0.049 WALL (M4130N-T0500W049)
1	D3016-9	SADDLE	AISI 4130N TUBE, Ø1.00 DIA x 0.120 WALL (M4130N-T1000W120)
1	D3016-11	SADDLE	AISI 4130N TUBE, Ø1.00 DIA x 0.120 WALL (M4130N-T1000W120)
1	D3016-13	BRACKET	AISI 4130N SHEET, 18 GAUGE (M4130N-S049)
1	D3016-15	GUSSET	AISI 4130N SHEET, 18 GAUGE (M4130N-S049)
1	D3016-17	GUSSET	AISI 4130N SHEET, 18 GAUGE (M4130N-S049)
2	D3020-1	FITTING	N/A

NOTES

- 1) WELD PER DART QSI 004
- 2) ON SHEET METAL PARTS, BREAK ALL UNMARKED CORNERS 0.020-0.040
- 3) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6) PER DART QSI 005 4.3
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 164488

JUL 19 2017





DEO ATTACHED

RELEASED
01.05.30

Copyright © 2001 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

D3016-041 SEAT FRAME ASSEMBLY



DETACHED
RELEASED
01.05.18

COPYRIGHT © 2001 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DESIGN UP	DRAWN BY UP	DART	DART AEROSPACE LTD. HAMPSHIRE, ENGLAND, CANADA
CHECKED #	APPROVED #	DRAWING NO. D3016	REV. A SHEET 2 OF 3
DATE 01.05.18		TITLE SEAT FRAME ASSEMBLY	SCALE 1:3

DRAWING NO. D3016	TITLE SEAT FRAME ASSEMBLY	REV. A	DART AEROSPACE LTD ENGINEERING ORDER	D.E.O. NO. D3016-A-1	SHEET NO. SHEET 1 OF 1	SCALE NTS
DRAWN <i>1</i>	CHECKED <i>UP</i>	MFG. APPR. <i>RE</i>	APPROVED <i>MP</i>	DE APPR. <i>TH</i>		
DATE 10.01.29	DATE 10.01.29	DATE 10.01.29	DATE 10.01.29	DATE 10.01.29		


PURPOSE:

TO REVISE D3016-11 SADDLE'S HOLE SIZES

CHANGE:


DETAIL D3016-11 SADDLE (SHEET 3): Ø0.257 TYP 3 PL WAS Ø0.191 (TYP 3 PLACES) AS SHOWN:

IS:



D3016-11 SADDLE

WAS:



D3016-11 SADDLE